

WE HAVE YOU SURROUNDED!



UNMARKED IMPALA



IMPALA



CAMARO



TAHOE



HUMMER



EXPRESS VAN



Fleet and Commercial

Because there's no other business like yours.™



**CHEVROLET TAHOE
SPECIAL SERVICE PACKAGE**
(2-WHEEL AND 4-WHEEL DRIVE)



CHEVROLET TAHOE SPECIAL SERVICE PACKAGE - 1ST BASE PACKAGE

Special Service Package option 5W4 must be ordered when used for law enforcement

NOTE: THIS VEHICLE IS NOT DESIGNED NOR INTENDED FOR PURSUIT USE.

STANDARD EQUIPMENT SUMMARY:

MODEL AVAILABILITY

| | |
|---------|---------------|
| CC15706 | 2-Wheel Drive |
| CK15706 | 4-Wheel Drive |

INTERIOR FEATURES

| | |
|----------------------------|--|
| AIR CONDITIONING | Front |
| ASSIST HANDLES | Front Passenger and Second Row Outboard |
| DOOR LOCKS | Power, Programmable with Lockout Protection and Auxiliary Switch in Cargo Area |
| FLOOR COVERING | Vinyl |
| GLASS | Solar Ray Tinted, All Windows |
| KEY | Single, Two Sided |
| LIGHTING | Dome LH & RH Door Switch, Ashtray, Glove Box, Underhood, also Includes Dome Light Override Switch |
| MIRROR | Inside Rearview |
| POWER OUTLETS | Dual IP Covered, One Located in Rear Cargo Area |
| RADIO | AM/FM Stereo w/Seek-Scan and Clock |
| RESTRAINT SYSTEM | Seat Belts with Driver and Front Passenger Frontal Air Bags and Side-Impact Air Bags |
| SEATS - FRONT | Vinyl 40/20/40 Reclining Split Bench |
| SEATS - REAR | Vinyl 60/40 Split Bench |
| SECURITY | PassLock II |
| SPEEDOMETER/CLUSTER | Analog Speedometer with Trip Odometer and Oil Pressure, Volt Meter, Tachometer, Engine Temperature, Hour Meter (To Display the Hour Meter, Turn the Ignition Off, Press and Hold Reset Button for at Least Four Seconds), Gauges and Message Center (See Message Center Diagram on page 44). |
| STEERING COLUMN | Adjustable Tilt |
| STEERING WHEEL | Vinyl Wrapped |
| SUNSHADES | Cloth Covered |
| WARNING TONE | Key-In-Ignition, Seat Belt, Headlamp and Turn Signal |
| WINDOW OPERATION | Manual Crank |
| WINDSHIELD WIPERS | Intermittent with Pulse and Washer |

CHEVROLET TAHOE SPECIAL SERVICE PACKAGE - 1ST BASE PACKAGE

Special Service Package option 5W4 must be ordered when used for law enforcement

STANDARD EQUIPMENT SUMMARY:

EXTERIOR FEATURES

| | |
|-----------------------|--|
| AIR DAM | Dark Argent |
| BUMPER - FRONT | Chrome with Matte Black Top Pad |
| BUMPER - REAR | Chrome with Matte Black Step Pad |
| DOOR HANDLES | Spectra Gray |
| GRILLE | Molded, Spectra Gray with Argent Center Bar |
| HEADLAMPS | Automatic Dual Composite - Halogen |
| LIGHTS | Daytime Running |
| LUGGAGE RACK | Roof-mounted, Adjustable Black |
| MIRRORS | Matte Black Fold-A-Way Outside Rearview |
| REAR DOOR | Cargo |
| RECOVERY HOOKS | Two Front - 4WD Only |
| SPARE TIRE | Full-Size - Mounted Under Rear Frame with Lock |
| WIPERS | Intermittent Windshield w/Pulse Washers |
| WIRE HARNESS | 7-Wire Trailering |

CHASSIS FEATURES

| | |
|-------------------------|--|
| ALTERNATOR | 130 Amp |
| BATTERY | Heavy-Duty 600 CCA with Battery Rundown Protection |
| BRAKES | 4-Wheel Anti-Lock Front and Rear Disc |
| ENGINE | Vortec 4800 V8 |
| FUEL CAPACITY | 26 Gallon |
| SPARK PLUGS | Extended Life - Platinum Tip |
| STEERING | Power 2WD / Power 4WD Speed-Sensitive Steering |
| SUSPENSION - FRT | Independent SLA with Torsion Bar |
| SUSPENSION - RR | Multi-Link with Coil Springs |
| TIRES | P245/75R16 All-Season SBR Blackwall with Full-Size Spare Mounted Under Frame at Rear End |
| TRANSFER CASE | Autotrac [®] , Active 4WD (on 4WD model only) |
| TRANSMISSION | 4-Speed Automatic w/Overdrive and Tow/Haul Mode |
| WHEELS | 16" x 6.5" Argent Steel Disc with Argent Center Cap |

CHEVROLET TAHOE SPECIAL SERVICE PACKAGE - 1ST BASE PACKAGE

Special Service Package option 5W4 must be ordered when used for law enforcement

POWERTRAIN

| | MODEL | ENGINE (RPO) | TRANSMISSION | AXLE | | | GVWR | |
|-----|---------|-------------------------|------------------------|-------------|-------------|-------------|---------------------|---------------------|
| | | | M30 4-Speed Auto | GU6 3.42 | GT4 3.73 | GT5 4.10 | C7K 6500 lbs. | C5U 6800 lbs. |
| 2WD | CC15706 | LR4 Vortec 4800 V8 SFI | S | A | A | | S | |
| | CC15706 | L59 Vortec 5300 V8 SFI* | S | A | A | | S | |
| 4WD | CK15706 | LR4 Vortec 4800 V8 SFI | S | | A | A | | S |
| | CK15706 | L59 Vortec 5300 V8 SFI* | S | | A | A | | S |

NOTE: Must Specify FE9 Federal Emissions

* Engine, Vortec 5300 V8 MFI, Flexible Fuel (Gas or E85 Ethanol)

TIRES: SPEED RATED

| OPTION NO. | MANUFACTURER | QUANTITY | SIZE | SPEED RATING | TYPE |
|------------|--------------|----------|----------------|--------------|----------------|
| QNK | Varies | 5 | P245/75R16 B/W | S | All-Season SBR |

SEATS AND INTERIOR TRIM

| | SEAT OPTIONS | GRAPHITE/MED. GRAY |
|--|--------------|--------------------|
| STANDARD Vinyl 40/20/40 Reclining Split-Bench | AE7 | 12V |
| Vinyl Rear 60/40 Split-Bench | AT5 | 12V |

CHEVROLET TAHOE SPECIAL SERVICE PACKAGE - 1ST BASE PACKAGE

Special Service Package option 5W4 must be ordered when used for law enforcement

OPTIONAL EQUIPMENT SUMMARY:

REGULAR PRODUCTION OPTIONS

- G80** Locking Differential - 4WD Only
- L59** Engine, Vortec 5300 V8 MFI, Flexible Fuel (Gas or E85 Ethanol)
- K34** Cruise Control
- K05** Engine Block Heater, Cold Weather
- C49** Defogger Rear Window
- NZZ** Skid Plate Package: Oil Pan, Differential Case, Transfer Case - 4WD Only
- AJ1** Deep Tint Glass (Requires C49)
- PDT** Traction Package, Including Traction Assist, Locking Differential and Recovery Hooks (2WD Only and Requires Cruise Control)
- KNP** Transmission Cooling Heavy-Duty
- Z82** Trailer Package: Includes Trailer Hitch Platform, 7-Lead Wiring Connector and Trailer Brake Pre-Wire Harness, Transmission Oil Cooler (Not Available with 4.8L Engine and 3.42 Rear Axle)
- BVE** Steps Running Boards

SPECIAL EQUIPMENT OPTIONS

- 5G4** Wiring Provisions - Roof Mounted Beacon, No Hole Installed (21-amp Rating)
- 6E2** Single Key-Entire Fleet Coded Alike, Specific Code (Same as Impala - Requires 5W4)
- 6E8** Single Key-Entire Fleet Coded Alike, Specific Code (Same as Impala - Requires 5W4)
- 7Y9** 770 CCA Battery
- 8Y9** Dual 770 CCA Batteries, Direct to Ignition (Requires 5W4)
- 9L4** Power Supply, 12-Volt Fused
- 9G8** Daytime Running Lamps and Auto Headlamp Delete (Requires 5W4)
- 5W4** Law Enforcement Processing Option
- 5T5** Seat: Cloth Front Power Bucket Seats without Center Console, vinyl rear seat (Requires 5B5 and 5W4 and Not Available with 9X5)
- 9P2** Rear Air Conditioning and Heat with Uplevel Headliner, Lighted Vanity Mirrors and Reading Lamps (Requires 5B5)
- 9X5** Cloth Seats, Front and Rear (Requires AE7 and Not Available with 5T5)
- 5M1** Electric Mirrors, Outside Rearview, Fold-away
- 5B5** Power Windows with Uplevel Door Panels
- 6C7** Roof Console with Reading Lamps (N/A with 9P2)

CHEVROLET TAHOE SPECIAL SERVICE PACKAGE

GENERAL

| | |
|-------|-----------------|
| Model | 4 Door |
| Drive | 2-Wheel/4-Wheel |

EXTERIOR (in/mm)

| | |
|---------------------------------------|------------|
| Wheelbase | 116/2946 |
| Overall Length | 198.9/5052 |
| Overall Width | 78.6/1997 |
| Overall Height | 76.3/1938 |
| Tread Front | 65.0/1651 |
| Tread Rear | 66.0/1676 |
| Turning Diameter curb to curb (ft./m) | 38.3/11.7 |

FRONT COMPARTMENT (in/mm)

| | |
|--------------------|-----------|
| Head Room | 40.7/1034 |
| Shoulder Room | 65.2/1656 |
| Hip Room | 61.4/1560 |
| Leg Room (maximum) | 41.3/1049 |

REAR COMPARTMENT (in/mm)

| | |
|--------------------|-----------|
| Head Room | 39.4/1001 |
| Shoulder Room | 65.1/1654 |
| Hip Room | 61.3/1557 |
| Leg Room (minimum) | 38.6/980 |

CARGO CAPACITY

| | |
|-------------------------|-------|
| Behind 2nd Seat (cu ft) | 104.6 |
|-------------------------|-------|

EPA FUEL ECONOMY RATINGS CITY/HIGHWAY

| | |
|-----------------|-------|
| 4.8L Engine 2WD | 15/20 |
| 4.8L Engine 4WD | 14/17 |
| 5.3L Engine 2WD | 14/18 |
| 5.3L Engine 4WD | 14/17 |

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicles condition.

ALTERNATOR

| | |
|---|-------|
| Type | AD244 |
| Amps | 130 |
| Amps @ idle (park/neutral w/air conditioning) | 70 |

Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

| ENGINE | STD | OPT |
|-------------------------------------|----------------|----------------|
| Type | VORTEC V8 | VORTEC V8 |
| Displacement: Liters | 4.8L | 5.3L |
| Horsepower/nhp | 275 @ 5200 RPM | 285 @ 5200 RPM |
| Torque/ft. lb. | 290 @ 4000 RPM | 325 @ 4000 RPM |
| Induction System | | SFI |
| Compression Ratio | | 9.5:1 |
| Exhaust | | Single |
| Minimum Recommended Fuel Octane | | 87 |
| Fuel Tank Capacity (Gallons/Liters) | | 26/98.4 |

TRANSMISSION

| | |
|-------------------------------------|---------|
| Automatic Electronic with Overdrive | 4-speed |
|-------------------------------------|---------|

AXLE

| | |
|---------------------|------|
| Ratio 2-Wheel Drive | 3.42 |
| Ratio 4-Wheel Drive | 3.73 |

BRAKES

| | |
|--|-----------|
| ABS Vacuum Power | Disc/Disc |
| Front /Swept Area (sq. in.) | 213 |
| Rear /Swept Area (sq. in.) | 133 |
| Total Front and Rear Swept Are (sq. in.) | 346 |

TIRES

| | |
|------|------------|
| Type | All-Season |
| Size | P245/75R16 |

WHEELS

| | |
|------|------------|
| Type | Steel |
| Size | 16" x 6.5" |

CHASSIS

| | |
|------------------|--|
| Frame | Full Perimeter Steel |
| Front Suspension | Independent, Single Lower Arm with Torsion Bar |
| Rear Suspension | Multi-Link with Coil Spring |
| Steering Type | Power-assisted Recirculating Ball |

VEHICLE WEIGHT

| | |
|------------------------|-------------------------|
| GVWR (lbs.) 2-Wheel | 6500 |
| GVWR (lbs.) 4-Wheel | 6800 |
| Curb (lbs) | 2WD - 4828 / 4WD - 5050 |
| Payload (lbs.) 2-Wheel | 1672 |
| Payload (lbs.) 4-Wheel | 1750 |

Note: Payload and curb weight will vary with option content

BATTERY

| | |
|----------------------------------|------------------|
| Type | Maintenance-Free |
| BCI Group Size | 78 |
| Volts | 12 |
| Amp Hour Rating | 69 |
| Cold Cranking Amps @ 0°F (-18°C) | 600 |
| Reserve Capacity @ 80°F (27°C) | 115 |

Features:

- Maintenance-Free Design
- Built-In Flame Arrester
- Built-In Hydrometer
- Side-Mounted Terminals
- Reinforced Polypropylene Case